

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office NEW PRIORITY DATE: OCT 22, 2001
~~---MAR 04 1999---~~
 Returned to applicant for correction _____
 Corrected application filed _____
 Map filed _____ MAR 04 1999

The applicant **Grant S. Truman 1985 Living Trust**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground source**
2. The amount of water applied for is **0.1 CFS** second-feet
 - (a) If stored in reservoir give number of acre-feet **N/A**
3. The water to be used for **Commercial purposes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kinds of animals to be watered **N/a**
 - (c) Other use (describe fully under No. 12. "Remarks") **See item 12**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **Within the Northeast Quarter (NE¼) of the Southwest Quarter (SW¼) of Section 23, T22S, R60E, M.D.M. from with the center quarter corner of C¼ of said Section 23, T22S, R60E, M.D.M., bears North 55°33'42" East a distance of 1556 feet.**
6. Place of Use **The Northwest portion of lot 2 as shown in file 83 page 2 of Parcel Maps being a portion of the Northeast Quarter (NE¼) of the southwest Quarter (SW¼) of Section 23, T22S, R60E, M.D.M.**
7. Use will begin about **January 1st** and end about **December 31st**, of each year.
8. Description of proposed works **Install storage tank, Booster Pump, Totalizing meter and additional piping.**
9. Estimated cost of works
10. Estimated time required to construct works **Existing 8" steel cased well, 2 Bladder Tanks, 5 Hp Submersible Pump, wiring and appruutenances.**
11. Estimated time required to complete the application of water to beneficial use **5 years**
12. Remarks: **Water to be use for a commercial trucking facility, which will have 9,000 square feet semi-truck garage repair shop, 6,000 square feet office, showers, sinks and bathrooms. Estimated use will be 1,800 gallons per day when the facility is complete and running.**

By **s/Paul Truman**
Fulstone Enterprises Inc.
Agent 940 S. Martin L. King Blvd.
L.V. NV. 89106

Compared **cms/bk** **dl/bk**

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 0.657 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 15, 2001

Proof of completion of work shall be filed before:

August 15, 2001

Application of water to beneficial use shall be filed on or before:

July 15, 2004

Proof of the application of water to beneficial use shall be filed on or before:

August 15, 2004


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 15th day of July, A.D. 1999


State Engineer


Completion of work filed OCT 2/2 2001

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

~~CANCELLED SEP 27 2001 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

~~
STATE ENGINEER~~

Can. Rescinded 1-9-2002